



FITSTUFF

**WE BRING QUALITY AND MODERN FITNESS
EQUIPMENT TO THE MARKET**

CONTENT

Cardio Machine	4 - 35
Pin Loaded	
• Steel Series	36 - 44
Plate Loaded	
• Titan Series	46 - 59
• Beast Series	60 - 61
Free Weights	65 - 66
Floorings	67 - 75
Gym Lockers	76 - 79





FITSTUFF

ABOUT US

We are experts in building, organizing and maintaining fitness centers and gyms.

We offer a large variety of fitness equipment. We bring new products to the market, high quality machines with a nice design and high performance.

Our main goal is customer satisfaction with a 100% quality guarantee.

FITSTUFF

APPEARANCE DESIGN

EXTREME PERFORMANCE

Less is More.

In order to pursue the minimalist movement of the exterior, the surface design of the machine pursues a refined and clean visual effect. Using the internal fixed design to keep the perfection of surface to the greatest extent, we adopt a special mold process to make the line sharper, reaching R0.2mm, which is equivalent to the standard of consumer electronics.

Double Texture Appearance

Glossy and matte alternating use double texture. Focus on the expression of smooth lines and exquisite craftsmanship



Appearance Patent

Unified systematic style design, appearance patent.






Lights Language

Load successfully, the green light is on, start new training.



When activated and checked, LED light turns blue.

When start operation, the light would be green, finish and press stop button, the light would be red with 2 sec blink, then turn to be the standby status with blue light.



Heart Rate



VIRTUAL REALITY

Scenery around the world,
Immersive enjoyment.



Humanized Design



TREADMILL

1080P 21.5 inch HD screen.
 Tempered glass, High strength, High resistance, Panoramic large screen, bring you the feeling of being there. (ultra)



ELLIPTICAL

10.1 inch screen. (motion)



STAIRTRAINER

10.1 inch screen. (motion)



UPRIGHT BIKE

10.1 inch screen. (motion)



* Console details please check in the following specific equipment.


TREADMILL

Only Better


Treadmill is not a new product, but ordinary, just like running.

How to innovate is a challenge for us, as we want to be different. We all have no choice but to be better. We need to be stronger, so its overall structure is more stable, and thousands of tests are enough to prove it. We need to be more temperamental, what we pursue is less is more, simple and elegant, smooth appearance, exquisite workmanship.

Any way, we just need to be better.



COMFORT DESIGN



Oversized Running Deck
580×1600mm Running Area

Comfortable Running Height

The running height of the running platform is lower than the normal running platform 30~40mm



Ergonomic Handrail

Double injection-molded TPR material, soft to the touch



ULTRA



FLOW



Specifications	Ultra	Flow
Console Screen	21.5" Touchscreen	0.56" Led+8*8 Dot Matrix
Motor Power	3.0KW	3.0KW
Speed	1-24KM/H	1-24KM/H
Incline	0-15%	0-15%
Running Surface	580*1600mm	580*1600mm
Assembled Dimension	2220*910*1600mm	2220*910*1600mm
Self-compiled programs	3	3
Preset Programs	6	6
Power Requirements	AC 220V/110V	AC 220V/110V
Net Weight/Gross Weight	240KG	240KG
Max User Weight	150KG	150KG
Console Function		
USB	•	◦
Headphone	•	-
Fan	•	•
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Console Data Display		
Speed	•	•
Incline	•	•
Speed Shortcut Key	•	•
Slope Shortcut Key	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Rotations Per Minute	•	•
Average Speed	•	•
METS	•	•
Preset Program	•	•
Self-compiled	•	•

COMMERCIAL TREADMILL

Challenge your limits, unleash your passion! Introducing our brand-new gym treadmill, where running is not just exercise, but a perfect fusion of mind and body. Traverse through time and feel the thrill of lightning-speed running, turning every step into the beginning of a breakthrough!

FEATURES


- 580*1600mm running surface
- 3.0KW Power
- 0-15% incline
- 1-24KM/H Speed
- 150 kg. max weight capacity
- CE Certified

Optional Consoles



Triangular Column

The unit is more stable during running.



Introversion Sidebar

The side strips are designed with an inward tilt. Feet are easier to stand, Keep your body balanced, safer



Smooth Running

bring users a superior and flexible running experience



Adaptive Running Surface

With AnyFit, enjoy the perfect balance of cushioning and responsiveness. The surface adapts your weight and absorbs impact to reduce the risk of injuries.



Bearing Wheel

High quality pressure - bearing wheel, convenient for machine movement and maintenance.

PERFORMANCE



Speed

The fastest speed can reach **24km/h** , Provide smooth, consistent, Natural exercise experience



High Performance Motor

Efficient AC precision **3.0 kW** motor with a top speed of for a 24km/h smooth, consistent, natural workout experience.



Maintenance Free Running Deck

Maintenance-free design with running belt, no lubrication required



HD Screen

1080P 21.5inch screen, tempered glass, high strength, high resistance, large screen bring you the feeling of being there



TREADMILL



Specifications	Slim +	Slim
Console Screen	10.1" Touchscreen	LED
Motor Power	3.0KW	3.0KW
Speed	1-24KM/H	1-24KM/H
Incline	0-15%	0-15%
Running Surface	580*1600mm	580*1600mm
Assembled Dimension	2096*820*1630mm	2096*820*1630mm
Self-compiled programs	3	3
Preset Programs	6	6
Power Requirements	AC 220V/110V	AC 220V/110V
Net Weight/Gross Weight	205/303KG	205/303KG
Max User Weight	150KG	150KG
Console Function		
USB	•	-
Headphone	•	-
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Console Data Display		
Speed	•	•
Incline	•	•
Quick Incline Speed	•	•
Quick Incline	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Rotations Per Minute	•	•
Average Speed	•	•
METS	•	•
Preset Program	•	•
Self-compiled	•	•



Specifications	Ultra B	Flow B
Console Screen	10.1" Touchscreen	LED
Motor Power	3.0KW	3.0KW
Speed	1-24KM/H	1-24KM/H
Incline	0-15%	0-15%
Running Surface	580*1600mm	580*1600mm
Assembled Dimension	2096*820*1630mm	2096*820*1630mm
Self-compiled programs	3	3
Preset Programs	6	6
Power Requirements	AC 220V/110V	AC 220V/110V
Net Weight/Gross Weight	205/303KG	205/303KG
Max User Weight	150KG	150KG
Console Function		
USB	•	-
Headphone	•	-
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Console Data Display		
Speed	•	•
Incline	•	•
Quick Incline Speed	•	•
Quick Incline	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Rotations Per Minute	•	•
Average Speed	•	•
METS	•	•
Preset Program	•	•
Self-compiled	•	•

ELLIPTICAL

Completely different concept

Unique design concept, occupy global design patents and multiple structural patents. Unique outstanding structure, All the design and investment ensure a smooth experience during movement, trajectory is smooth. Also with smart training, difference of height of user and necessary needs for training courses.

The mechanical design, in the transmission structure part, we use 76 bearings, 3 special motors. The manufacturing process is also subject to strict quality control.



COMFORT DESIGN





Reasonable Pedal Spacing

According to the analysis of a large number of people, the 6.4cm pedal spacing is designed after analysis. Suitable for different trainers, ultimate sports comfort

Smart Step Depth Adjustment

Automatically adjust the depth of the foot according to the training plan, Suitable for different training methods.



Smart Stride Adjustment

According to the different height of the trainers, the length of the stride is automatically matched, and the stride adjustment range is 48.1-63.7 cm.

Ergonomic Track with different mode



Walk



Run



Hiking



Climb

MOTION

PRO



FLOW

PRO



Specifications	Motion Pro	Flow Pro
Console Screen	10.1" Touchscreen	0.56" Led+8" 8 Dot Matrix
Resistance Level	1-25	1-25
Stride Grade	1-10	1-10
Step Depth Grade	1-15	1-15
Stride Adjustment Length	481-637mm	481-637mm
Step Depth Adjustment Length	435-561mm	435-561mm
Pedal Center Distance	230mm	230mm
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V ~ 240V 50/60Hz	AC 100V ~ 240V 50/60Hz
Assembled Dimension	2120*790*1680mm	2120*790*1680mm
Net Weight/Gross Weight	225/310KG	225/310KG
Max User Weight	150KG	150KG
Console Function		
USB	•	○
Headphone	•	-
Fan	•	•
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Mobile and Pad Holders	•	•
Console Data Display		
Resistance Level	•	•
Stride Adjustment	•	•
Step Depth Adjustment	•	•
Speed	•	•
Rotations Per Minute	•	•
Average Speed	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Preset Programs	•	•
Self-compiled programs	•	•
Function Feature		
Smart Stride Adjustment	•	•
Smart Step Depth Adjustment	•	•
Multiple Position Handrails	•	•
Quick Adjustable Handrail	•	•
Transport Wheel	•	•

COMMERCIAL ADJUSTMENT ELLIPTICAL

Featuring a user-friendly interface and ergonomic design, our elliptical machine provides a smooth and natural motion that minimizes impact on your joints, making it perfect for users of all ages and fitness levels. Say goodbye to monotony and hello to variety with adjustable incline settings, offering endless possibilities for targeting different muscle groups and intensifying your workouts.

FEATURES

- 540mm stride length
- 255mm Pedal centre distance
- 150 kg Max weight capacity
- 6 Pre-programmes
- Smart incline Adjustment
- EMS driving system
- CE Certified

Optional Consoles



COMMERCIAL ELLIPTICAL


The new elliptical machine boasts advanced technology and impeccable craftsmanship, providing you with a comfortable fitness environment.

The intelligent control system allows you to adjust resistance at any time, and personalized workout modes cater to diverse needs, making fitness smarter and more convenient.

FEATURES

- 540mm stride length
- 255mm Pedal centre distance
- 150 kg Max weight capacity
- 6 Pre-programmes
- CE Certified

Optional Consoles



COMMERCIAL ADJUSTMENT ELLIPTICAL



Specifications	Motion	Flow
Console Screen	10.1" Touchscreen	LED
Resistance Level	1-25	1-25
Stride Length	540mm	540mm
Pedal Center Distance	255mm	255mm
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V ~ 240V 50/60Hz	AC 100V ~ 240V 50/60Hz
Assembled Dimension	2165*840*1730mm	2165*840*1730mm
Net Weight/Gross Weight	186/303KG	186/303KG
Max User Weight	150KG	150KG
Console Function		
USB	•	-
Headphone	•	-
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Mobile and Pad Holders	•	•
Console Data Display		
Resistance Level Speed	•	•
Adjustment Incline	•	•
Rotations Per Minute	•	•
Average Speed	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Preset Programs	•	•
Self-compiled programs		
Function Feature	•	•
Multiple Position Handrails	•	•
Transport Wheel	•	•

COMMERCIAL ELLIPTICAL



Specifications	Motion	Flow
Console Screen	10.1" Touchscreen	LED
Resistance Level	1-25	1-25
Stride Length	540mm	540mm
Pedal Center Distance	255mm	255mm
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V ~ 240V 50/60Hz	AC 100V ~ 240V 50/60Hz
Assembled Dimension	2165*840*1730mm	2165*840*1730mm
Net Weight/Gross Weight	186/303KG	186/303KG
Max User Weight	150KG	150KG
Console Function		
USB	•	-
Headphone	•	-
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Mobile and Pad Holders	•	•
Console Data Display		
Resistance Level Speed	•	•
Rotations Per Minute	•	•
Average Speed	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Preset Programs	•	•
Self-compiled programs	•	•
Function Feature		
Multiple Position Handrails	•	•
Transport Wheel	•	•

RECUMBENT BIKE PRO

Completely different
concept

designed with a laid-back seating position, where the rider sits in a reclined posture rather than upright. The seat features a larger, cushioned surface with back support, providing enhanced comfort and reduced strain on the rider's lower back and joints.

The pedals are positioned in front of the rider, allowing for a more relaxed leg extension and improved aerodynamics.



COMMERCIAL RECUMBENT BIKE

Whether you're aiming to improve cardiovascular health, burn calories, or enhance lower body strength, our recumbent bike delivers results with every pedal stroke. Equipped with adjustable resistance levels, it caters to your individual fitness needs, allowing you to progress at your own pace.



Specifications	Motion	Flow
Console Screen	10.1" TFT	LED
Resistance Level	1-30	1-30
Assembled Dimension	1650x595x1440mm	1650x595x1440mm
Net Weight/Gross Weight	85/105KG	85/105KG
Max User Weight	150KG	150KG
Console Data Display		
Resistance Level	•	-
Speed	•	-
Rotations Per Minute	•	-
Average Speed	•	-
Calories	•	-
Distance	•	-
Time	•	-
Frequency	•	-
Remaining Time	•	-
Elapsed Time	•	-
Total Progress Time	•	-
Function Feature		
Multiple Position Handrails	•	•
Multiple Cup And Accessory Holders	•	•
Adjustable Pedal	•	•
Adjustable Seat	•	•
Transport Wheel	•	•
Self-generation	•	-

Optional Console




UPRIGHT BIKE

Not alone anymore

Some people like running, some people like riding.
Everyone has own love of sports.

From now on, the upright bike is not a necessary equipment
for personal training, It will play an important role in the club.






Easily Adjust Seat Height

14-seat adjustment, the adjustment switch is located below the seat. Easier to adjust, The seat height can be easily adjusted even if you are riding.



Multi-position Sports Handrail

Designed according to different training postures, Make the training posture more diverse and comfortable.




Handrail Button

Matching ergonomic design, easy to adjust the armrest, easy to adjust.



Belt Drive

The belt drive system designed from the user's point of view is quiet and comfortable, making your fitness more relaxed.



Reasonable Crank Angle

The crank and pedal cling to the body of the device. Bring you a real riding experience.

MOTION



FLOW



Specifications	Motion	Flow
Console Screen	10.1" Touchscreen	0.56" Led+8*8 Dot Matrix
Resistance Level	1-25	1-25
Self-complied Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V ~ 240V 50/60Hz	AC 100V ~ 240V 50/60Hz
Assembled Dimension	1200x500x1450mm	1200x500x1450mm
Net Weight/Gross Weight	75/95KG	75/95KG
Max User Weight	150KG	150KG
Console Function		
USB	•	•
Headphone	•	-
Fan	•	•
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	-
Mobile and Pad Holders	•	•
Console Data Display		
Resistance Level	•	•
Speed	•	•
Rotations Per Minute	•	•
Average Speed	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Preset Programs	•	•
Self-complied Programs	•	•
Function Feature		
Multiple Position Handrails	•	•
Quick Adjustable Handrail	•	•
Adjustable Pedal	•	•
Adjustable Seat	•	•
Transport Wheel	•	•

STAIRTRAINER

Modern and more durable


Walking, running, jumping and climbing are the most natural and popular exercises. Natural design is the core of our Fitness Stairs. Each design of our machines meets all criteria for safe and high-quality training.





Wraparound Handrails

Safer for users




Anti-pinch Step

Unique anti-pinch design, make the trainer more focused on training.



Embedded Security Identification

Orange warning design makes training safer



Transmission System

Chain drive, Stainless steel, More strong.



Patent-Emergency Stop

The device will fully braked when the emergency stop button is pressed, to ensure the trainer safer during using the unit.



Handrail Button

Matching ergonomic design with quick adjustment of the armrests, easy to adjust.



Safety Assisted Side Step

Can take a short break, one-leg training is also possible. Combine the training program to complete more actions.



MOTION



FLOW



Specifications	Motion	Flow
Console Screen	10.1" Touchscreen	0.56" Led-8*8 Dot Matrix
Resistance Level	1-20	1-20
Staircase Dimension	550*278*205mm	550*278*205mm
Initial Stair Height	300mm	300mm
Effective Utilization Staircase	3	3
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V ~ 240V 50/60Hz	AC 100V ~ 240V 50/60Hz
Assembled Dimension	1600*970*2230mm	1600*970*2230mm
Net Weight/Gross Weight	226/310KG	226/310KG
Max User Weight	150KG	150KG
Console Function		
USB	•	○
Headphone	•	-
Fan	•	•
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	•
Mobile and Pad Holders	•	-
Console Data Display	•	•
Resistance Level		
Speed	•	•
Rotations Per Minute	•	•
Average Speed	•	•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time	•	•
Preset Programs	•	•
Self-compiled Programs	•	•
Function Feature	•	•
Safety Side Step		
Easily Stepped Into	•	•
Patent-Emergency Stop	•	•
Multiple Position Handrails	•	•
Quick Adjustable Handrail	•	•
Transport Wheel	•	•

COMMERCIAL STAIRTRAINER

Meticulously designed for a perfect blend of aesthetics and performance, this latest StairTrainer promises an unparalleled fitness experience. Innovative Design:

The cutting-edge exterior seamlessly merges modern aesthetics with technological elements, adding a touch of style to your fitness space. Enhanced Fitness Endurance:

Featuring a professional-grade simulation system that replicates stair climbing, it comprehensively strengthens cardiovascular function, pushing the limits of your body.

FEATURES

- Dual safety switch (pull-wire type + infrared sensor type)
- Initial step height: 320mm
- Minimum pedal position memory function
- Pedal warning strip
- POM material rollers are more silent
- CE Certified

Optional Consoles




INDOOR BIKE

Making life more adventurous

bike is the way to go if you want a bike that was born on the road, raised in the studio and now available for your home.

It doesn't matter if you are a high-profile fitness chain or a small boutique studio, we have the right equipment for you to bring the best experience to your members.





Intelligent training guide

With a 21" touch screen, your workout can be more adventurous and exciting.



2-stage multi belt drive

2-stage multiv belt drive the transmission ratio of up to about 1:18, enhance resistance.



The gradient exterior design

With an innovative gradient exterior design, wider at the top and narrower at the bottom, it is simple, stylish, and elegant




COMMERCIAL TRAINING BIKE

Embrace the future of fitness, challenge your limits, and experience it all with our new powerful performance Bike! Fitness is no longer about mundane and monotonous routines; it's an adventure filled with passion and challenges. The training bike opens the door to a healthier and more vibrant lifestyle. Let's revolutionize the traditional and welcome a new era of fitness together!

FEATURES

- Suitable for users 150-200cm tall
- 150 kg Max weight capacity
- Synchronous belt + multiribbed belt 2-stage drive
- Self-generation
- CE Certified

Optional Console



ROWING MACHINE

Rowing to the elite class

The rowing machine, branded with the stamp of the elite, is imbued with class attributes.


The rise of the rower is also a sign of public's desire to live an elite lifestyle. Rowing may become the first step in the progression of more athletic newcomers, as well as a new option for a universalized form of aerobic exercise.





Intelligent HD screen

With a 21" touch screen, equipped with intelligent real-world mode, screen resolution 1080p, high strength and high wear resistance, enjoy the beautiful scenery around the world while training



Encoder design

Accurate calculation of the movement track length and distance, and synchronize the movement data on the screen, to the fitness course training provides data support, so that fitness more scientific and reasonable.



Smart ecological linkage

Records exercise data comprehensively in real time, generates exercise reports and gives professional advice. The platform will recommend courses, match coaches and customized plans according to different situations of members, making exercise more healthy and intelligent.

ROWER



Specifications	Ultra	Pace
Console Screen	21" Touch screen	5" industrial TFT screen
Self-complied Programs	4	1
Preset Programs	8	6
Transmission type	Multi-V belt drive	Multi-V belt drive
Flywheel material	400x10, aluminium	400x10, aluminium
Flywheel weight	3.5kg	3.5kg
Resistance adjustment	Electric stepper wire-pulling motor, magnetoresistive adjustment	magnetic resistance adjustment
Power requirements	AC100V-240V	-
Overall machine size	2300x570x1410mm	2300x570x1410mm
Net/gross weight	72/82kg	50/65kg
Maximum load capacity	150kg	150kg
Minimum/maximum user height	140-210cm	140-210cm

INDOOR BIKE



Specifications	Ultra	Pace
Console Screen	21" Touch screen	5" industrial TFT screen
Self-complied Programs	4	1
Preset Programs	8	6
Transmission type	2-stage multiv belt drive	2-stage multiv belt drive
Flywheel material	400*10, aluminium	400*10, aluminium
Flywheel weight	3.5kg	3.5kg
Resistance adjustment	Electric stepper wire pulling motor, magnetoresistive adjustment	Manual magnetoresistive adjustment
Saddle adjustment	Self-locking hydraulic cylinder up and down, manual front and rear adjustment	
Handle adjustment	Self-locking hydraulic cylinder up and down, manual front and rear adjustment	
Power requirements	AC100V-240V	-
Overall machine size	1500x550x1230mm	1500x550x1230mm
Net/gross weight	72/82kg	65/75kg
Maximum load capacity	150kg	150kg
Minimum/maximum user height	150-205cm	150-205cm

CROSSFIT CARDIO

CURVED TREADMILL

Dimensions : 187 x 94 x 166 cm
Net weight : 161 kg
Max.user weight : 150 kg
Drive Type: Mechanical



SKII MACHINE

Weight - 50 kg
Brand - FITSTUFF
Color - Black



AIR BIKE

Dimensions: 38 x 89 x 130 cm
Brand: FITSTUFF
Color: Black
Weight: 59 kg
Max User Weight: 150 kg
Resistance: Air
Power connection: Self-driven



ROWING MACHINE

Weight: 33 kg
Size - 143 x 41 x 55 cm
Weight - 28 kg
Maximum user weight: 150 kg
Color: black
Power connection: Self-driving
Resistance: 10 intervals, air





STEEL

series


STEEL series



SD01 Shoulder / Chest Press



SD02 Shoulder / Chest Press



SD03 Pectoral Fly / Rear Delt



SD04 Biceps / Triceps



SD05 Biceps / Triceps



SD06 Lat Pulldown / Low Row



SD07 Assisted Chin / Dip



SD08 Crunch / Back Extension

STEEL series



SD09 ISO Lat Pulldown



SD10 Chest Press



SD11 Low Row



SD12 Seated Hamstring Curl



SD13 ISO Mid Row



SD14 Grip / Forearm Trainer



SD15 Shoulder Press



SD16 Shoulder Press

STEEL series



SD17 Trap Shrug



SD18 Lateral Raise



SD19 Chest Press



SD20 Pec Butterfly



SD21 Seated Biceps



SD22 Triceps Dip



SD23 Seated Triceps



SD24 Low Row

STEEL series



SD25 Mid Row



SD26 Low Row / Lat Pull



SD27 ISO Lat Pulldown



SD28 Back Extension



SD29 Low Abdominal



SD30 Upper / Mid Abdominal



SD31 Rotary Torso



SD32 Multi Hip

STEEL series



SD33 Standing Smith Kick Back



SD34 Standing Kick Back



SD35 Adduction



SD36 Abduction



SD37 Leg Extension



SD38 Standing Hamstring Curl



SD39 Laying Leg Curl



SD40 Seated Leg Press


STEEL series



SD41 Seated Leg Press



SD42 Seated Calf Raise



SD43 Standing Calf Raise



SD44 Hip Thrust



SD45 ISO Seated Triceps



SD46 ISO Shoulder Press



SD47 ISO Chest Press



SD48 ISO Seated Biceps

STEEL series



SD49 Leg Extension / Leg Curl



SD50 Abduction / Adduction



SD51 Leg Press / Seated Calf



SD52 Leg Extension / Leg Curl



SD53 Single Cable



SD54 Cable Crossover



SD55 Cable Crossover



SD56 4 Stack Station

STEEL series



SD57 5 Stack Station



SD58 8 Stack Station



SD59 12 Stack Station



TITAN

series

TITAN series



TT01 Horizontal Chest



TT02 Decline Chest



TT03 Super Incline Chest



TT04 Chest Press



TT05 Triceps Push



TT06 Pec Fly



TT07 Shoulder Press




TT08 Trap Shrug

TITAN series



TT09 Wide Pulldown



TT10 Front Lat Underhand



TT11 Front Lat Overhand



TT12 Back Row



TT13 D.Y. Row



TT14 T Bar Row



TT15 Standing T Bar



TT16 Lat Pulldown

TITAN series



TT17 Prone Leg Press



TT18 ISO Leg Press



TT19 Pendulum Squat



TT20 Leg Press



TT21 Leg Press



TT22 90 Leg Press



TT23 Hack Squat



TT24 Hip Thrust

TITAN series



TT25 Seated Leg Press



TT26 ISO Incline Chest



TT27 Dual Shoulder / Chest



TT28 Dual Chest Press



TT29 Belt Squat



TT30 Standing Abduction



TT31 Pendulum Kick Back



TT32 Smith Hip Thrust

TITAN series



TT33 Standing Hip Thrust



TT34 ISO Hamstring Curl



TT35 Lateral Raise



TT36 Smith Shoulder Press



TT37 Seated Calf Raise



TT38 Pullover



TT39 Back Extension



TT40 Biceps Curl

TITAN series



TT41 ISO Leg Extension



TT42 ISO Leg Curl



TT43 Squat / Lunge



TT44 Reverse Glute



TT45 Seated Calf



TT46 Standing Calf



TT47 Hip Trainer



TT48 Abdominal

TITAN series



TT49 Biceps Bench



TT50 Dual Shoulder Raise



TT51 Viking Shoulder Press



TT52 Smith Back Row



TT53 Smith Chest Press



TT54 Seated Smith Back Row



TT55 Deadlift / Back Row



TT56 Smith Back Row

TITAN series



TT57 Tru Squat



TT58 Back Row Underhand



TT59 T - Bar Back Row



TT60 Deadlift Rack



TT61 Seal Back Row



TT62 Triceps Push



TT63 Standing Chest Press



TT64 Shoulder Press / Shrug

TITAN series



TT65 Incline Bench Press



TT66 Bench Press



TT67 Decline Bench Press



TT68 Adjustable AB Bench



TT69 Decline Bench



TT70 Back Extension



TT71 AB Bench



TT72 Adjustable Bench

TITAN series



TT73 Flat Bench



TT74 30 Bench



TT75 45 Bench



TT76 60 Bench



TT77 Utility Bench



TT78 Biceps Curl



TT79 Dlp Station



TT80 Standing T Bar

TITAN series



TT81 Smith Machine



TT82 Smith Machine



TT83 Smith Cage



TT84 Squat Stand



TT85 Plate Stand



TT86 Barbell Stand



TT87 20 Pcs Dumbbell Rack



TT88 30 Pcs Dumbbell Rack

TITAN series

NEWCOMERS



TT89 Squat Machine



TT90 Pull Up / Dip Station



TT91 Squat / Lunge Pro

TITAN series

NEWCOMERS



TT92 ISO Leg Press



TT93 Leg Press



TT94 Smith Shoulder Shrug

TITAN series

NEWCOMERS



TT95 ISO Smith T-Bar



TT96 Smith T-Bar



TT97 ISO Smith Back Row



BEAST

series

BEAST series



BS01 Smith Shoulder Press



BS02 Standing Chest Press



BS03 Standing Chest Press



BS04 Smith Hip Thrust



BS05 Seal Back Row



BS06 Rear Delt



BS07 Back Smith Row



BS08 Back Extension

BEAST series



BS09 Lateral Raise



BS10 Chest Squeeze



BS11 ISO Shoulder Press



BS12 Biceps Curl



BS13 Flat Bench



BS14 Military Shoulder Press



BS15 Incline Bench Press



BS16 Decline Bench Press



FRAME COLOR

We offer 1 color and 2 color versions. There are no additional charges for basic colors. If you want a color that is not among the basic ones. For an additional charge, we can paint the frame with a color according to the RAL code



LEATHER TEXTURE & COLOR

We have 4 leather textures to choose from. For each leather texture we have more than 10 color options. For larger orders, we can also embroider your logo on the pads, making it both unique and exclusive !






LOGO COLOR

The logo color is optional and we do not charge any additional fee for changing the color. We have over 30 color options.


For larger orders, we can embroider your logo into the leather headrest. This is how you can promote your fitness center.



RUBBER HANDLE COLOR

The handle color is optional. We have over 30 color options.

We can completely customize the machines in color. This way you will stand out from the competition.





FREE WEIGHTS



PRINT WITH YOUR LOGO

For larger orders, we can print one original logo. This can help you promote your fitness center and differentiate yourself from the competition.

Be unique with us!



COMPETITION BUMPER PLATES



CALIBRATED STEEL PLATES



BUMPER PLATES



CPU PLATES



CAST IRON PLATES



CPU BARBELLS



CPU DUMBBELLS



STAINLESS STEEL DUMBBELLS



HEXAGON DUMBBELLS



CAST IRON KETTLEBELLS

GYM TURF



LAWNS

Artificial grass is a great choice for enriching your fitness center.

Not only do they visually beautify and diversify the space, they also have many uses.

It can be performed on it from various explosive exercises, such as pushing / pulling sleds, swinging with a rope, but it can also serve as a place for warm-up or final stretching.

We can customize the lawn in terms of size, color and design, and we can even print the lawn with the logo of your gym.



ARTIFICIAL LAWN

Tiles with artificial lawn offer safe and flexible space for exercise

IMPORTANT FACTORS :

- black and green color
- durable against pressure
- easy instalation
- optional grass length



PUZZLE GREEN

WIDTH	LENGTH	THICKNESS
990 mm	990 mm	10 - 30 mm
490 mm	490 mm	10 - 20 mm




PUZZLE BLACK

WIDTH	LENGTH	THICKNESS
990 mm	990 mm	10 - 30 mm
490 mm	490 mm	10 - 20 mm



SQUARE GREEN

WIDTH	LENGTH	THICKNESS
1010 mm	1010 mm	10 - 30 mm
1000 mm	1000 mm	20 - 60 mm



SQUARE BLACK

WIDTH	LENGTH	THICKNESS
1010 mm	1010 mm	10 - 30 mm
1000 mm	1000 mm	20 - 60 mm

FLOORS

We offer many variations, colors and sizes.

IMPORTANT FACTORS :

- glue is not necessary
- density up to 1200 kg/m³



PUZZLE 1 COLOUR

WIDTH	LENGTH	THICKNESS
990 mm	990 mm	10 - 30 mm



PUZZLE 2 COLOURS

WIDTH	LENGTH	THICKNESS
990 mm	990 mm	10 - 30 mm



SQUARE 1 COLOUR

WIDTH	LENGTH	THICKNESS
1010 mm	1010 mm	10 - 50 mm
500 mm	500 mm	20 - 50 mm



SQUARE 2 COLOURS

WIDTH	LENGTH	THICKNESS
1010 mm	1010 mm	10 - 50 mm
500 mm	500 mm	20 - 50 mm

STANDARD TILES



IMPORTANT FEATURES

- recycled rubber tiles (RRT)
- density 925-950 kg/m³
- adhesive is not mandatory
- available with beveled edges or puzzle cut edging ramp
- perfect for gym chains and heavy ware usage

STANDARD PUZZLE/ SQUARE

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	10 - 60mm
980 mm	980 mm	10 -30 mm

PREMIUM

IMPORTANT FEATURES

- recycled rubber tiles (RRT)
- density 925-950 kg/m³
- adhesive is not mandatory
- smooth top layer surface and premium look
- available with beveled edges or puzzle cut edging ramp
- perfect for gym chains and heavy ware usage

PREMIUM PUZZLE/SQUARE WITH OR WITHOUT MOSAIC

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	10 - 60mm
980 mm	980 mm	10 -30 mm





OVERLAYER

IMPORTANT FEATURES

- durable and smooth layer with density of 900-950 kg/m³
- both layers are laminated in hot process which guarantees perfect binding
- easy cleaning & premium look
- bottom pattern: flat
- shock and noise absorbing - ΔLw up 21 dB
- recycled rubber RRT without/with virgin EPDM mosaic 10%

RT OVERLAYER SQUARE/PUZZLE

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	20 - 40mm


SLICE

IMPORTANT FEATURES

- recycled rubber RRT
- uniform surface
- individual piece cut from a larger slab
- lack of bevels makes this product recommended for weight pulling zones, as the performance of workouts is smoother or to free weights area
- standard density 900kg/m³
- primary density 800kg/m³

RT SLICE PUZZLE/SQUARE BLACK WITH OR WITHOUT MOSAIC

WIDTH	LENGTH	HEIGHT
980 mm	980 mm	6-15 mm
490 mm	490 mm	10mm





R-PAD WITH 4-PIN CONNECTOR

IMPORTANT FEATURES

- easy installation with no adhesives
- compact and rigid matching
- move and replace individual tiles
- 4-PIN connector system for R-PAD and flat tiles
- customization of the bottom
- three 4-pins per side included in the price

RT OVERLAYER SQUARE

WIDTH	LENGTH	HEIGHT
1000 mm	1000mm	20 - 60mm

LOW AND STANDARD ANTISHOCK

IMPORTANT FEATURES - anti-slip protection

- sound and shock absorbing qualities:
 ΔL_w up to 21 dB, ΔR_w up to 55 dB
- protection against injury
- easy installation (DIY) with no adhesives
- surfaces STANDARD, PREMIUM, OVERLAYER
- high repeatability
- CFL-S1, DFL-S1 and EFL fire certificate

ANTISHOCK STANDARD/MOSAIC/OVERLAYER


WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65mm
1000 mm	500mm	25-65 mm



TURF FOR SLEDTRACK



IMPORTANT FEATURES - green and black colour - resistant to heavy loads - finishing accessories - simple installation and removal (DIY) - does not deform - two shapes PUZZEL and SQUARE



SLED GRASS SQUARE GREEN/BLACK

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	10 - 30mm



OUTDOOR TILES



With fire classification

WIDTH	LENGTH	HEIGHT
1000 mm	1000mm	10-50mm
500 mm	500 mm	20-50mm



IMPORTANT FEATURES


elastilc, anti-slip Surface high resistance to sunlight version with additional UV protection excellent water drainage and easy cleaning resistant to frost, water and changing weather conditions easy installation and removal (DIY) fire resistance option: DFL and CFL

COLOUR COMBINATIONS


EPDM



RECYCLED RUBBER



MOSAIC 10%



SOFT SURFACE

Tatami tiles offer a soft place for variety of workouts

IMPORTANT FACTORS :

- multiple color combinations
- soft and durable material




TATAMI PUZZLE

WIDTH	LENGTH	THICKNESS
1000 mm	1000 mm	10 - 40 mm



TATAMI ROLL

WIDTH	LENGTH	THICKNESS
1000 mm	1000 mm	10 - 40 mm






BOX / MMA

series

BOX / MMA series




- Ground BOX Ring

Sizes : 4, 5, 6, 7 m




- Ground MMA Cage

Sizes : 4, 5, 6, 7 m



- Base BOX Ring

Platform : 50 cm
Sizes : 4, 5, 6, 7 m



- Base MMA Cage

Platform : 40 cm
Sizes : 4, 5, 6, 7 m



LOCKERS

Patterns & colors



Patterns & colors



LOCK & DOOR TYPES

► Lock



► Number plate



► Other




TIERS	TYPE
1	TL




TIERS	TYPE
2	TL



TIERS	TYPE
3	TL




TIERS	TYPE
4	TL



TIERS	TYPE
5	TL



TIERS	TYPE
2	TLZ





FITSTUFF

**WE BRING QUALITY AND MODERN FITNESS
EQUIPMENT TO THE MARKET**